

滕州市成金机械制造有限公司

Tengzhou Chengjin Machinery Manufacture Co., Ltd

联系人: 刘明生

Call: 15588471583 Q Q: 291748240

Skype: Lms187

Email: 15588471583@163.com

liumingsheng2012@hotmail.com

Add: 山东省滕州市官桥镇八一矿区

BaYi Mining Area GuanQiao Town TengZhou City ShanDong Province

Website: www.tzcj-anchor.com

阿里旺铺: http://roger9285.cn.alibaba.com



滕州 · 成金

专营船用锚、船用铸钢件 Anchor & Marine steel Casting



滕州市成金机械制造有限公司

Tengzhou Chengjin Machinery Manufacture Co., Ltd





Company Profile

滕州市成金机械制造有限公司是鲁南唯一生产铸钢锚、大型铸钢件的专业厂家,建厂十多年来在科研单 位的大力协助下,产品质量不断地提高和完善,产品系列化、规范化、技术力量雄厚、检测手段齐全、产品 寿命长和各项性能指标均达到国家先进水平,倍受用户好评,用户应用成本小,经济效益显著,深受船舶、 冶金矿山、火力发电、水泥以化工等工业的信赖。公司从事生产船用锚、船用铸钢件、港口大型工程铸钢件 等产品多年的专业厂家,年生产能力7000多吨。

公司二期工程投资3000万新建竣工现已正式投入生产,设计、制造、试验和销售铸钢锚、钢板焊接锚及 各种船用配件、船用精密铸造件、导缆孔、导缆滚轮、制链器、制链器托架、系缆桩等船用产品,还生产风 力发电机械铸件、海洋工程机械铸件、港口工程机械铸件、大型建筑机械铸件、钢结构件等产品。公司可按 照国家标准,国际标准,客户要求自行设计,制造,并做实验。

公司拥有18吨加大电弧炉一台,150吨卧式拉力试验机四台,200吨卧式拉力试验机两台,1000吨钢板折 弯机一台,46吨行车十台,28吨行车十八台。电热处理炉4.5×5.5×9.5m二座和5×6×13一座。公司检测设 备齐全,拥有全世界最先进的光谱分析仪一台,万能材料试验机两台,冲击试验机两台,冲击试验低温槽两 台,冲击试验样缺口手动拉床两台,投影仪两台,磁粉探伤仪四台,超声波探伤仪多台等先进检测设备。

本公司先后获得了中国(CCS)、美国(ABS)、英国(LR)、德国(GL)、挪威(DNV)、日本(NK) 、法国(BV)、韩国(KR)、意大利(RINA)、俄罗斯(RS)等船级社认可。 同时获得了ISO9001质量体系 认证。

滕州市成金机械制造有限公司坐落于历史文化悠久、交通便利发达的"科圣"墨子与"工匠祖师"鲁班 東公路、京沪铁路、京沪高铁、104国道、京杭大运河均贯穿于我厂周围,方圆200公里范围 齐宁四大机场,形成得天独厚的商品运输网;毗邻五岳之首泰山,来到滕州,可就 、三府(亂府、孟府、墨府), 领略中国文化精髓。

来交流技术,洽谈业务,愿与广大朋友携手共创美好明天

TENGZHOUCHENGJINZHUGANG

董事长: 王立运

总经理: 罗贤水

Company Profile

Thengzhou Chengjin Machinery Manufacture Co., Ltd was established in 2006, located in a long life country in China-Zaozhuang. The city is surrounded by Jingfu freeway, Jinghu railway, Jinghu high-speed rail, 104 national road, and the Beijing-Hangzhou Grand Canal, Land & water transportation is very convenient, And we also have Jinan, Xuzhou, Linvi and Jining four air ports around us within 200 kilometers, greatly facilitate customers visiting and the transport of goods.

The company specialized in the production of anchors, steel castings and large steel construction for many years, Annual production capacity is 8000 ton, our products have widely used by the ship, metallurgy and mining, thermal power, cement and chemical and other chemical and other industrial, through years of continuous efforts and fine products prestige, we have got recognition of classification society from CCS, LR, GL, ABS, DNV, NK BV, KR, RINA&RS, in counterparts we passed the ISO9001 quality system recognition, products manufactured have been praised at home & abroad.

Company invest over 30 million RMB in the second project and now it has been finished and started to design, produce, test and sell cast steel anchors, welded steel anchors and other marine accessories, like marine precision casting, fairlead, Fairlead Roller, Chain shopper and Bollard, we also produce castings for wind generator, ocean construction and port. We can also produce according to customers' own design.

The company has a complete set of production equipment: one 8 ton electric arc furnace, four 150 ton horizontal Proof Testing Machines, and two 200 ton horizontal Proof Testing Machines, one 1000 ton bending device, ten 46 ton bridge crane, eighteen 28 ton bridge crane. Two 4.5×5.5×9.5m heat treatment electric furnace, and one 5×6×13m heat treatment electric furnace. Test equipment: one Spectrometer, two Material Testing Machine, two Impact Testing. Machine, two Low-temperature trough, two broaching machine, two projector, four Magnetic powder flaw detector. Ultrasonic flaw detector and so on.

We warmly welcome customers at home and abroad come to visit our company, study or

Board Chairman: Livun Wang General Manager: Xianshui Luo

滕州市成金机械制造有限公司

资质认证 **AUTHENTICATIONS**

滕州市成金机械制造有限公司































Authentications

滕州市成金机械制造有限公司 Tengzhou Chengjin Machinery Manufacture Co., Ltd

检测设备 TESTING EQUIPMENT


















Anchors

MA	CJ-01	AC-14大抓力锚 TYPE AC-14 HHP ANCHOR	— 07
AA	CJ-02	CJ-14全平衡大抓力锚	— 08
1	CJ-03	丹福尔大抓力锚 DANFORTH HIGH HOLDING POWER ANCHOR	— 09
1	CJ-04	德尔塔大抓力锚 DELTA HIGH HOLDING POWER ANCHOR	— 10
# 1 m			(-
W	CJ-20	CJT-20大抓力锚(TW波尔锚) CJT-20 HHP ANCHOR(POOL ANCHOR TYPE TW)	— 11
	CJ-17	CJ-17大抓力锚(斯蒂芬锚 MK5) CJ-17 HHP ANCHOR(STEVIN MK5)	— 12
	CJ-18	斯蒂芬锚 MK3	— 13
1	CJ-19	焊接布鲁斯锚 WELDING BRUCE HHP ANCHOR	— 13
W	CJ-21	德宏锚 DE HONG ANCHOR	— 14
Ŵ	CJ-22	N型波尔锚 TYPE N BOWER ANCHOR	— 15
<u>i</u>	CJ-23	CJN型平衡大抓力锚 CJN-SB TYPE HIGH HOLDING POWER BALANCED ANCHOR	<u> </u>
1	CJ-24	GB11579-89 轻量锚 GB11579-89 LIGHT WEIGHT ANCHOR	<u> </u>
4	CJ-25	CB57-77 马氏大抓力锚	<u> </u>
<u>.</u>	CJ-28	定位锚 OFFDRILL ANCHOR	— 18
1	CJ-05	斯贝克锚 CB711-95 SPEK ANCHOR	 19
J.	CJ-06	M型 斯贝克锚 TYPE M SPEK ANCHOR	<u> </u>
3	CJ-07	SR型 斯贝克锚 TYPE SR SPEK ANCHOR	— 21
1	CJ-08	海军锚 GB/T545-1996 ADMIRALTY ANCHOR	— 22
ţ	CJ-09	单爪锚 SINGLE FIUKE ANCHOR	<u> </u>
1/2	CJ-10	A、B、C型 霍尔锚	— 23/24
Ų	CJ-11	日本无杆锚 JAPAN STOCKLESS ANCHOR	— 25
1	CJ-12	日本有杆锚 JAPAN STOCK ANCHOR	<u> </u>
ele.	CJ-14	美式 (海军) 无杆锚 U.S.N. (NAVY) STOCKLESS ANCHOR	26
de	CJ-16	贝尔特脱锚 BALDT STOCKLESS ANCHOR	27

Testing Equipment





名义重量 NOMINAL			尺寸SI	ZE (mm)			名义重量 NOMINAL	尺寸SIZE(nm)					
WEIGHT (KG)	A	L.	11	С	Cl	В	WEIGHT (KG)	A	L	11	С	C1	В
30	491	440	136	299	85	236	3240	2352	2110	652	1432	407	1130
45	590	529	164	359	99	283	3443	2400	2154	665	1462	415	1154
75	677	605	188	411	122	324	3668	2451	2200	680	1493	424	1178
94	718	643	199	437	130	344	3938	2510	2252	696	1529	434	1207
113	745	666	207	452	135	357	4208	2549	2303	711	1563	444	1234
135	821	737	228	500	143	394	4500	2624	2355	727	1598	454	1261
180	904	811	251	550	157	434	4838	2688	2412	745	1637	465	1292
225	974	874	270	593	169	468	5175	2749	2467	762	1674	476	1321
270	1035	929	287	630	180	497	5513	2808	2520	778	1710	486	1350
315	1090	978	302	663	189	524	5850	2864	2570	794	1744	496	1376
360	1139	1022	316	694	198	547	6225	2923	2623	810	1780	506	1408
428	1194	1071	331	727	206	574	6525	2970	2665	823	1808	514	1428
495	1251	1122	347	762	216	602	6975	3042	2730	843	1853	527	1463
585	1360	1221	378	828	236	654	7425	3100	2782	859	1888	537	1490
675	1398	1254	387	851	242	672	7875	3162	2837	876	1925	547	1520
765	1483	1304	404	885	264	698	8325	3221	2890	893	1961	558	1548
855	1520	1363	423	925	267	729	8775	3278	2942	909	1996	567	1576
968	1590	1425	440	968	275	764	9225	3333	2991	924	2030	577	1602
1080	1631	1462	451	993	282	784	9675	3386	3039	939	2062	586	1628
1193	1660	1490	465	1011	287	798	10125	3438	3085	953	2094	595	1653
1305	1761	1580	488	1072	305	846	10575	3488	3130	967	2124	604	1677
1440	1795	1610	497	1093	311	862	11025	3537	3174	981	2154	612	1700
1575	1855	1665	514	1130	321	892	11550	3592	3224	996	2188	622	172
1710	1900	1705	526	1157	329	913	12075	3646	3272	1011	2220	631	1753
1845	1940	1741	538	1182	336	933	12675	3705	3325	1027	2256	641	178
1980	1977	1774	548	1203	342	950	13350	3770	3383	1045	2296	653	1812
2138	2016	1809	559	1227	349	969	14100	3839	3445	1064	2338	665	1846
2295	2089	1874	579	1272	362	1004	15000	3919	3517	1086	2387	678	1884
2475	2150	1929	596	1309	373	1033	16125	4015	3603	1113	2445	695	1930
2655	2201	1975	610	1340	382	1057	17250	4106	3685	1138	2501	711	1974
2835	2253	2022	624	1372	390	1083	18375	4194	3763	1163	2554	726	2016
3038	2302	2066	638	1402	399	1107	19500	4278	3839	1186	2605	740	2056




	CJ-14 SB HHP ANCH	OR CJ-02
۷ ا		2021

名义重量 NOMINAL			尺寸SI	ZE (mm)		
WEIGHT (KG)	A	В	C	D	E	F
75	550	326	350	606	188	185
100	607	380	385	704	207	200
120	635	380	402	704	217	215
180	742	442	470	822	254	252
225	828	495	525	915	283	277
250	828	495	525	915	283	280
300	882	525	559	975	301	298
340	918	548	582	1012	313	310
360	918	548	582	1015	313	313
430	990	590	628	1098	339	336
495	1025	610	650	1135	350	348
585	1102	658	699	1220	376	375
675	1152	690	731	1278	394	390
765	1205	718	764	1335	411	408
855	1250	745	793	1385	427	420
970	1300	775	826	1445	444	440
1080	1350	805	855	1495	461	455
1200	1400	835	887	1545	478	470
1305	1440	858	913	1595	492	485
1440	1486	885	943	1645	507	505
1575	1534	915	972	1695	523	518
1710	1575	940	998	1745	538	532
1845	1616	965	1025	1785	552	546
1980	1650	985	1048	1830	564	560
2100	1686	1005	1070	1865	575	570
2295	1738	1035	1102	1920	593	588
2475	1780	1062	1128	1970	607	602
2655	1820	1085	1155	2018	621	615
2835	1862	1109	1180	2057	635	625
3040	1896	1130	1204	2100	646	640
3550	2030	1198	1287	2225	693	680
3940	2080	1240	1318	2300	709	705

名义重量 NOMINAL	尺寸SIZE(nm)										
WEIGHT (KG)	A	В	С	D	E	F					
4500	2170	1295	1376	2405	741	735					
4840	2225	1330	1410	2465	760	755					
5175	2275	1358	1443	2520	777	770					
5610	2339	1396	1483	2590	798	790					
6000	2390	1426	1515	2646	816	810					
6225	2420	1443	1534	2678	826	820					
6525	2450	1462	1554	2712	836	830					
6975	2507	1496	1589	2775	855	848					
7350	2560	1526	1622	2832	873	866					
7875	2610	1558	1655	2890	891	884					
8325	2665	1590	1689	2950	909	902					
8775	2707	1614	1715	2996	924	916					
9300	2765	1652	1754	3064	945	936					
9675	2805	1674	1778	3104	957	948					
10125	2850	1700	1806	3152	972	960					
10575	2880	1720	1827	3192	984	976					
11025	2930	1750	1859	3247	1001	990					
11700	2987	1782	1894	3308	1019	1010					
12075	3010	1800	1906	3343	1027	1020					
12675	3065	1812	1945	3364	1047	1028					
13350	3132	1870	1986	3470	1069	1060					
14100	3178	1896	2015	3520	1084	1076					
14700	3228	1924	2045	3570	1099	1090					
15400	3272	1954	2075	3626	1117	1108					
16100	3320	1980	2110	3680	1132	1125					
16700	3350	2000	2126	3720	1144	1144					
17250	3380	2016	2142	3740	1151	1144					
17800	3440	2050	2180	3806	1173	1162					
18800	3500	2088	2220	3875	1193	1185					
20000	3573	2132	2265	3956	1220	1210					
25000	3965	2360	2515	4309	1352	1295					
30000	4358	2588	2765	4663	1484	1380					

HHP Anchors

丹福尔大抓力锚 Danforth HHP ANCHOR






名义重量 NOMINAL		尺寸SIZE(mm)					shackle 名义重量 NOMINAL	尺寸SIZE(mm)						shack1e	
WEIGHT (LBS)	A	В	С	D	Е	F	model	WEIGHT (LBS)	A	В	С	D	Е	F	model
100	159	322	714	485	800	219	a4	3000	502	1033	2146	1575	2396	710	a14
150	183	372	793	560	926	253	a5	3500	550	1111	2265	1677	2515	757	a15
200	203	412	874	621	995	281	a6	4000	552	1114	2365	1680	2623	759	a15
250	225	457	960	689	1075	312	a6	5000	595	1200	2480	1811	2850	818	a16
300	228	461	1000	706	1166	314	a7	6000	630	1274	2680	1920	3164	866	a17
400	257	522	1090	788	1284	356	a8	6600	652	1317	2792	1986	3260	897	a19
500	274	554	1180	836	1380	378	a9	8000	692	1398	2970	2109	3475	971	a19
600	290	588	1253	888	1466	401	a9	9000	715	1448	3080	2200	3490	990	a20
750	314	635	1350	958	1578	433	a9	10000	735	1484	3200	2270	3591	1010	a21
1000	344	694	1488	1060	1739	472	all	15000	851	1700	3680	2610	4100	1160	a23
1250	367	741	1603	1135	1864	505	a12	20000	936	1870	4050	2870	4510	1276	a26
1500	396	800	1703	1207	1988	545	a12	30000	1136	2250	4900	3400	5400	1520	a30
2000	438	888	1875	1336	2190	604	a14	35000	1208	2414	5250	3670	5830	1642	a31
2500	470	950	2020	1432	2300	647	a14	40000	1286	2588	5625	3930	6250	1758	a32
2625	470	950	2020	1432	2300	647	a14	45000	1378	2745	5968	4172	6610	1867	a33
2750	485	960	2120	1432	2335	650	a14	50000	1450	2890	6282	4393	6950	1965	a34




名义重量 NOMINAL			尺寸SI	ZE (mm)			名义重量 NOMINAL			尺寸SI	ZE (mm)		
WEIGHT (KG)	A	В	С	D	F	G	WEIGHT (KG)	A	В	С	D	F	G
300	1310	1040	1180	495	1550	370	20000	5320	4240	4775	2010	6300	1525
500	1555	1240	1400	585	1845	445	22500	5535	4420	4970	2090	6560	1590
750	1780	1400	1600	665	2110	510	25000	5730	4575	5140	2160	6780	1640
1000	1960	1560	1755	740	2320	565	30000	6100	4880	5486	2305	7225	1739
1500	2250	1800	2025	840	2660	635	35000	6424	5138	5775	2426	7605	1830
2000	2470	2000	2250	930	2960	710	40000	6715	5370	6036	2536	7948	1912
2500	2660	2130	2395	1005	3150	755	45000	6986	5588	6184	2640	8270	2086
3000	2830	2285	2565	1070	3380	815	50000	7230	5785	6500	2730	8560	2060
4000	3180	2560	2880	1190	3790	910	55000	7470	5975	6715	2820	8840	2125
4500	3194	2575	2900	1220	3820	920	60000	7690	6150	6910	2940	9100	2190
5000	3300	2660	2995	1260	3945	950	65000	7900	6315	7100	2980	9350	2250
6000	3560	2884	3245	1300	4269	1024	70000	8095	6475	7275	3060	9580	2305
7000	3750	2995	3365	1405	4440	1075	75000	8235	6590	7405	3110	9750	2345
9000	4120	3280	3690	1540	4860	1170	80000	8460	6770	7610	3195	10020	2410
10000	4270	3400	3825	1600	5040	1215	85000	8625	6900	7750	3255	10210	2460
13500	4670	3730	4195	1765	5535	1340	90000	8800	7040	7910	3325	10420	2510
15000	4840	3860	4340	1825	5725	1385	95000	8960	7170	8055	3385	10610	2555
18000	5140	4100	4615	1940	6085	1470	100000	9110	7285	8190	3440	10780	2590




CJ-20 CJT-20大抓力锚(TW波尔锚) CJT-20 HHP ANCHOR(POOL ANCHOR TYPE tw)








名义重量 NOMINAL		尺寸SIZE(mm)					Shackle 名义重量 NOMINAL			尺寸SI	ZE (mm)	li.		Shackle	
WEIGHT (KG)	A	A1	В	C	D	Е	Model	WEIGHT (KG)	A	A1	В	С	D	Е	Model
105	640	650	250	422	240	705	a6	4500	2264	2297	861	1510	854	2740	a20
135	696	706	273	460	262	815	a6	4840	2316	2349	879	1543	868	2800	a21
160	736	746	289	486	277	895	a7	5175	2334	2367	889	1558	876	2829	a22
180	766	776	300	506	288	937	a7	5250	2363	2397	926	1558	887	2870	a22
225	825	837	324	545	310	982	a8	5515	2412	2446	926	1608	911	2921	a22
270	877	890	344	579	329	1080	a8	5850	2450	2485	960	1615	920	2985	a23
300	907	922	356	600	340	1080	a8	6225	2509	2543	980	1640	940	3033	a23
360	965	980	378	638	362	1175	a9	6975	2623	2659	1015	1707	990	3145	a23
430	1024	1040	402	676	384	1200	a9	7875	2695	2735	1050	1773	1012	3264	a24
495	1074	1090	420	709	402	1257	a10	8148	2744	2771	1067	1805	1030	3320	a24
565	1122	1138	440	740	436	1318	al1	8420	2794	2822	1087	1838	1049	3381	a24
675	1205	1221	475	801	454	1456	a11	8710	2823	2851	1098	1857	1060	3416	a25
765	1256	1272	476	836	455	1518	a12	9000	2852	2881	1109	1876	1071	3451	a25
855	1306	1327	494	866	496	1575	a13	9340	2885	2914	1122	1898	1083	3491	a25
970	1360	1381	532	896	513	1642	a13	9680	2918	2947	1135	1919	1096	3531	a26
1080	1410	1431	540	910	536	1703	a13	10090	2947	2976	1146	1939	1107	3566	a26
1195	1435	1446	545	955	537	1730	a13	10500	2977	3007	1158	1958	1118	3602	a26
1305	1490	1512	580	981	558	1814	a14	10765	3008	3038	1170	1979	1130	3640	a26
1440	1554	1576	587	1031	585	1875	a14	11030	3039	3069	1182	1999	1141	3677	a27
1575	1594	1618	606	1062	600	1931	a14	11365	3063	3094	1192	2015	1150	3706	a27
1710	1635	1659	622	1092	614	1985	a15	11100	3087	3118	1201	2031	1159	3735	a27
1845	1684	1709	638	1120	638	2035	a15	12075	3124	3155	1215	2055	1173	3780	a28
1980	1733	1758	657	1153	654	2088	a15	12450	3161	3193	1230	2079	1187	3825	a28
2140	1765	1803	671	1177	664	2138	a16	13200	3233	3265	1258	2127	1214	3912	a29
2295	1802	1829	686	1205	678	2190	a16	13950	3305	3338	1286	2174	1241	3999	a29
2475	1860	1887	704	1236	705	2240	a17	14850	3350	3384	1303	2204	1258	4054	a30
2655	1900	1927	720	1263	716	2298	a17	15750	3395	3429	1321	2233	1275	4108	a30
2835	1945	1973	737	1294	730	2350	a17	16295	3457	3492	1345	2274	1298	4183	a31
3040	1984	2012	754	1324	744	2404	a17	16840	3520	3555	1369	2315	1322	4259	a31
3240	2036	2066	770	1351	768	2456	a18	17420	3556	3592	1383	2339	1335	4303	a32
3445	2070	2100	789	1381	782	2507	a18	18000	3593	3629	1398	2363	1349	4348	a32
3670	2110	2142	804	1410	795	2560	a19	18680	3634	3670	1414	2390	1365	4397	a32
3940	2152	2185	820	1440	802	2621	a19	19360	3676	3713	1430	2418	1380	4448	a33
4210	2218	2251	842	1478	838	2680	a20	20000	3713	3750	1444	2442	1394	4493	a33



CJ-17 HHP ANCHOR (STEVIN MK5)




名义重量 NOMINAL		尺寸SIZE (mm)									
WEIGHT (KG)	A	В	С	E	F	Н					
300	1828	1968	1101	927	160	757					
500	2040	2197	1233	1035	179	845					
1000	2570	2770	1562	1304	226	1064					
1500	2944	3174	1802	1495	261	1230					
2000	3244	3494	1969	1646	285	1343					
3000	3711	4001	2279	1886	332	1540					
4000	4083	4403	2431	2074	359	1692					
5000	4402	4746	2697	2238	396	1835					
6000	4680	5040	2841	2374	411	1988					
7000	4900	5280	3001	2490	443	2045					
8000	5151	5553	3156	2619	464	2139					

名义重量 NOMINAL	尺寸SIZE(mm)									
WEIGHT (KG)	A	В	С	Е	F	Н				
9000	5359	5772	3253	2719	471	2219				
10000	5549	5932	3400	3822	501	2305				
12000	5893	6353	3614	3000	533	2450				
14000	6209	6694	3805	3159	562	2580				
15000	6354	6850	3804	3232	575	2640				
16000	6469	6967	3927	3282	569	2673				
18000	6753	7280	4139	3436	612	2806				
20000	6994	7540	4287	3559	634	2907				
22000	7220	7784	4426	3674	654	3001				
25000	7535	8123	4619	3834	684	3132				
30000	3003	8635	4919	4075	727	3329				


CJ-18 斯蒂芬锚MK3 STEVIN MK3





名义重量 NOMINAL	尺寸SIZE(mm)												
WEIGHT (KG)	A	В	С	D	E	K	L	S					
1000	2429	2654	1559	2023	737	1010	412	60					
1500	2774	3038	1785	2316	843	1156	471	65					
3000	3493	3828	2249	2918	1063	1456	594	80					
5000	4120	4538	2667	3460	1260	1727	704	80					
7000	4602	5077	2983	3871	1409	1932	788	90					
9000	5012	5521	3244	4209	1533	2100	857	100					
12000	5516	6076	3570	4632	1687	2312	943	110					
15000	5942	6545	3846	4990	1817	2490	1016	120					
20000	6372	6986	4100	5324	2048	2674	1083	160					
30000	7289	7997	4694	6094	2345	3061	1240	180					


CJ-19 焊接布鲁斯锚 WELDING BRUCE HHP ANCHOR





名义重量 NOMINAL	1		尺寸SI	ZE (mm)		
WEIGHT (KG)	A	В	С	D	Е	F
500	1827	1280	500	1303	606	2188
800	2073	1452	667	1479	688	2484
1500	2648	1854	723	1888	878	3172
3000	3409	2388	931	2431	1131	4085
4500	3800	2751	1047	2733	1298	4605
5000	4029	2822	1100	2873	1336	4828
6000	4227	3028	1161	3031	1430	5104
6500	4326	3131	1192	3110	1478	5242
9000	4846	3394	1324	3456	1607	5806
10000	5287	3563	1390	3628	1687	6095
12000	5437	3808	1486	3878	1803	6514
15000	5728	4012	1566	4085	1900	6864
18000	6129	4292	1674	4371	2031	7343
20000	6319	4426	1726	4507	2096	7571
30000	7225	5060	1974	5153	2396	8656

德宏锚 D-HONG HHP ANCHOR



名义重量)	₹ 寸S1	ZE (mm)											
NOMINAL WEIGHT (KG)	A	В	С	D	Е	F	G	Н	名义重量 NOMINAL	尺寸SIZE(mm)							
200	789	495	566	182	847	313	110	145	WEIGHT (KG)	A	В	С	D	Е	F	G	Н
300	900	566	648	207	968	358	136	175	2600	1855	1160	1330	420	1990	737	279	380
400	994	624	710	231	1065	395	151	192	2800	1900	1190	1365	435	2040	755	279	380
500	1070	670	765	250	1150	425	163	215	3000	1950	1220	1400	445	2090	770	279	380
550	1105	693	790	257	1185	438	163	215	3250	2000	1250	1430	460	2140	790	284	385
600	1138	714	815	263	1220	452	163	215	3500	2050	1285	1470	470	2200	810	284	385
650	1170	733	835	275	1255	465	174	235	4000	2132	1340	1530	490	2280	850	305	410
700	1200	750	860	275	1285	475	174	235	4500	2224	1395	1590	510	2385	880	310	410
750	1225	765	875	275	1310	485	174	235	5000	2335	1460	1670	540	2505	927	343	450
800	1253	780	895	281	1340	495	174	235	5300	2350	1470	1680	540	2520	930	343	450
850	1280	800	915	295	1370	507	200	255	5800	2430	1525	1745	560	2610	965	343	450
900	1300	810	927	297	1386	513	200	255	6000	2484	1555	1780	575	2665	986	370	480
950	1327	830	950	308	1425	527	200	255	6500	2520	1580	1810	580	2710	1002	370	480
1000	1350	840	965	315	1450	536	200	255	7000	2580	1610	1840	595	2755	1020	370	480
1100	1394	875	1000	320	1490	555	215	280	7400	2635	1650	1890	605	2825	1045	377	500
1200	1435	900	1030	330	1540	570	215	280	8000	2686	1685	1930	615	2880	1065	391	540
1300	1475	925	1055	341	1580	585	215	280	8300	2736	1710	1950	635	2926	1085	391	540
1400	1510	945	1080	350	1620	600	215	280	8800	2785	1745	1995	643	2990	1105	391	540
1500	1545	970	1100	365	1660	610	215	280	9200	2830	1775	2030	650	3030	1120	418	580
1600	1578	990	1130	366	1690	627	236	310	9600	2877	1800	2060	660	3080	1140	418	580
1700	1608	1008	1150	373	1725	638	236	310	10000	2920	1830	2090	670	3126	1157	437	600
1800	1640	1030	1175	380	1760	650	236	310	10500	2964	1860	2125	685	3180	1180	437	600
1900	1670	1050	1190	390	1790	660	236	310	12000	3100	1940	2220	715	3320	1230	452	630
2000	1700	1065	1220	390	1825	675	236	310	13500	3200	2010	2290	740	3435	1270	468	640
2200	1750	1100	1250	410	1880	695	256	340	14000	3260	2045	2330	760	3495	1294	483	660
2400	1800	1130	1290	420	1940	717	256	340	15500	3360	2100	2410	770	3600	1330	498	680



CJ-22

N型 波尔锚 POOL HHP ANCHOR TYPE N





名义重量 NOMINAL	-		尺寸SI	ZE (mm)	ie .	
WEIGHT (KG)	A	В	С	D	E	F
12	323	275	250	65	383	155
20	386	325	300	75	458	185
25	409	350	316	80	485	200
40	479	410	370	95	567	235
50	517	440	400	100	613	255
60	550	470	425	110	652	270
80	608	515	470	120	720	295
100	653	555	505	130	775	320
120	699	595	540	135	825	340
135	723	614	562	139	858	342
160	764	650	590	150	905	370
180	795	675	615	155	940	385
640	825	700	640	160	978	400
225	858	729	666	165	1016	406
240	880	745	680	175	1040	425
280	925	780	715	180	1092	450
320	964	820	745	190	1140	470
360	1005	855	780	195	1190	490
400	1040	885	805	205	1230	505
440	1074	910	830	210	1270	520
480	1105	940	855	215	1305	535
520	1133	960	875	220	1340	550
560	1165	985	900	230	1375	565
600	1191	1010	920	235	1410	580
640	1217	1035	940	240	1440	675
675	1237	1051	960	245	1464	585
720	1262	1075	975	250	1495	615
800	1310	1115	1015	255	1550	635
855	1338	1137	1039	257	1585	633
900	1365	1160	1055	270	1615	665
970	1396	1186	1084	272	1654	660
1000	1410	1200	1090	275	1670	670
1080	1447	1229	1123	278	1713	684
1250	1521	1290	1175	300	1800	740
1305	1541	1309	1196	296	1824	729
1500	1615	1370	1250	315	1910	785
1575	1641	1394	1274	315	1943	776
1750	1705	1445	1320	335	2015	830
1845	1729	1469	1343	340	2049	818
2000	1780	1510	1375	350	2105	865


名义重量 NOMINAL	尺寸SIZE(mm)								
WEIGHT (KG)	A	В	С	D	Е	F			
2140	1817	1544	1411	349	2152	860			
2250	1850	1570	1430	360	2185	900			
2500	1920	1630	1480	375	2265	930			
2655	1954	1664	1516	372	2312	925			
2835	1996	1700	1550	380	2364	945			
3040	2042	1735	1585	390	2418	968			
3240	2086	1773	1620	398	2471	988			
3445	2129	1809	1653	406	2522	1009			
3670	2174	1847	1689	415	2576	1030			
3940	2226	1892	1730	425	2640	1055			
4210	2276	1934	1768	434	2698	1078			
4500	2328	1978	1808	444	2758	1103			
4840	2385	2026	1852	455	2825	1130			
5175	2439	2072	1894	465	2889	1155			
5515	2491	2116	1934	475	2950	1180			
5850	2541	2159	1973	485	3009	1204			
6225	2594	2204	2014	495	3072	1229			
6525	2635	2239	2046	503	3121	1248			
6975	2695	2290	2092	514	3191	1276			
7425	2751	2337	2136	525	3258	1303			
7875	2805	2384	2178	535	3323	1329			
8325	2858	2428	2219	545	3385	1354			
8775	2908	2471	2258	555	3445	1378			
9225	2958	2512	2296	564	3502	1401			
9675	3004	2553	2333	573	3558	1423			
10215	3050	2592	2369	582	3613	1445			
10575	3095	2630	2403	590	3666	1466			
11025	3138	2667	2437	599	3717	1486			
11550	3187	2708	2475	608	3775	1510			
12075	3235	2748	2512	617	3831	1533			
12675	3288	2794	2553	628	3894	1557			
13350	3345	2842	2598	638	3962	1585			
14100	3406	2895	2645	694	4035	1614			
15000	3478	2955	2700	664	4119	1647			
15400	3508	2981	2724	669	4155	1662			
16125	3563	3027	2766	680	4220	1687			
17250	3643	3096	2829	696	4315	1726			
18375	3712	3162	2889	710	4407	1762			
19500	3795	3225	2947	725	4495	1798			
20625	3867	3286	3003	738	4580	1832			



名义重量 NOMINAL	尺寸SIZE(mm)								
WEIGHT (KG)	A	В	С	D	Е	F			
60	590	555	470	364	157	270			
80	664	605	515	410	176	295			
100	712	655	555	440	190	320			
160	835	765	650	516	223	370			
200	885	825	700	546	236	400			
280	1008	925	780	622	269	450			
360	1096	1005	855	677	292	490			
480	1186	1105	940	728	314	535			
600	1300	1190	1010	802	347	580			
765	1410	1290	1096	870	375	610			
1000	1526	1395	1185	942	404	660			
1080	1580	1446	1230	975	421	685			
1195	1636	1485	1270	1010	436	708			
1305	1680	1541	1308	1037	448	730			
1440	1738	1592	1352	1073	464	754			
1575	1769	1640	1386	1092	472	777			
1710	1840	1686	1455	1137	491	798			
1845	1890	1729	1469	1168	504	819			
1980	1935	1770	1504	1195	516	836			
2140	1985	1816	1543	1226	530	860			
2295	2030	1860	1580	1254	540	880			
2655	2140	1954	1684	1322	566	926			
2835	2188	1996	1700	1351	580	945			
3000	2238	2042	1736	1382	592	968			
3240	2287	2086	1773	1412	605	988			

名义重量 NOMINAL			尺寸SI	尺寸SIZE(mm)								
WEIGHT (KG)	A	В	С	D	Е	F						
3940	2442	2226	1892	1508	646	1055						
4500	2553	2328	1976	1576	675	1103						
5175	2675	2439	2072	1651	708	1155						
5515	2730	2491	2116	1686	722	1180						
5850	2786	2541	2159	1720	737	1204						
6225	2838	2594	2204	1750	756	1229						
6525	2880	2635	2239	1780	768	1248						
6975	2948	2695	2290	1820	786	1276						
7425	3010	2760	2338	1858	802	1303						
7875	3069	2805	2384	1895	818	1329						
8775	3180	2908	2471	1964	848	1376						
9225	3235	2968	2512	1997	862	1401						
9675	3286	3004	2553	2029	876	1423						
10125	3337	3060	2592	2060	890	1445						
10575	3386	3095	2630	2090	902	1468						
12075	3538	3236	2748	2184	943	1533						
12675	3596	3288	2794	2220	958	1556						
13350	3658	3346	2842	2258	975	1585						
14100	3726	3406	2894	2300	993	1614						
15000	3804	3476	2954	2348	1014	1646						
17250	3985	3643	3095	2460	1062	1726						
20825	4240	3887	3285	2618	1130	1832						
24750	4495	4109	3491	2775	1198	1947						
28875	4717	4324	3675	2912	1258	2049						

GB11579-89 轻量锚 GB11579-89 LIGHT WEIGHT ANCHOR



名义重量 NOMINAL		尺	†SIZE (mm)		
WEIGHT (KG)	A	В	С	D	Е	
14	770	730	222	444	288	
23	885	840	252	508	328	
34	965	915	279	559	366	
45	1055	1000	310	610	396	
70	1185	1130	348	686	450	
90	1205	1140	360	737	480	
140	1345	1270	414	825	540	
180	1460	1380	450	896	584	
230	1560	1480	482	952	610	
340	1750	1640	560	1068	680	
450	1910	1800	610	1165	740	
680	2190	2080	700	1340	840	
910	2350	2200	762	1435	940	
1140	2580	2450	825	1575	1000	
1360	2750	2600	880	1680	1060	
1500	2830	2680	912	1730	1080	
1820	2940	2790	952	1800	1120	
2270	2990	2840	984	1830	1130	
2730	3150	2990	1040	1930	1200	
3180	3200	3030	1070	1960	1240	

名义重量 NOMINAL		尺	†SIZE(mm)	
WEIGHT (KG)	A	В	С	D	E
3630	3250	3070	1105	1980	1276
4100	3380	3200	1150	2060	1330
4540	3490	3310	1180	2130	1370
5000	3600	3420	1226	2200	1400
5500	3710	3520	1264	2260	1450
5900	3810	3610	1296	2320	1500
6400	3910	3710	1334	2390	1540
6800	3990	3790	1362	2440	1570
7300	4080	3870	1394	2490	1610
7700	4170	3950	1422	2540	1640
8200	4240	4020	1448	2590	1670
8600	4320	4100	1474	2640	1700
9100	4390	4170	1500	2690	1730
10000	4540	4300	1546	2770	1780
11100	4730	4480	1614	2890	1860
13600	5030	4800	1716	3070	1980
15000	5200	4950	1774	3170	2050
16000	5290	5050	1804	3230	2080
18000	5540	5280	1904	3330	2180
20000	5710	5450	1950	3480	2250


GB57-77 马氏大抓力锚 GB57-77 MATROSOV HHP ANCHOR

1500




515 1715 2370 1350 675 33~37

定位锚 OFFDRILL ANCHOR



名义重量 NOMINAL	尺寸SIZE(mm)								
WEIGHT (KG)	A	В	С	D	E	G			
227	1205	1330	725	865	395	485			
454	1520	1675	915	1090	500	625			
680	1770	2120	1050	1250	575	740			
908	1950	2340	1160	1380	630	815			
1136	2100	2520	1250	1485	680	875			
1360	2230	2655	1330	1580	725	930			
1590	2350	2820	1400	1665	765	980			
1815	2500	2945	1460	1740	800	1020			
2045	2555	3065	1520	1805	830	1065			
2270	2645	3175	1575	1870	860	1100			
2725	2815	3375	1675	1990	910	1170			
3180	2950	3540	1755	2090	940	1230			
3630	3095	3890	1840	2190	1012	1290			







名义重量 NOMINAL	尺寸SIZE(mm)										
WEIGHT (KG)	A	В	С	D	Е	G					
4540	3335	4000	1985	2360	1070	1390					
5445	3540	4250	2110	2505	1140	1475					
6350	3730	4500	2220	2640	1228	1555					
7260	3900	4750	2320	2760	1280	1625					
9080	4200	4900	2500	2975	1385	1750					
11350	4500	5165	2680	3205	1530	1875					
13620	4810	5335	2860	3405	1545	2000					
15000	4900	5390	2955	3515	1585	2070					
18160	5120	5635	3090	3675	1692	2165					
20430	5330	5865	3215	3850	1760	2250					
22700	5600	6150	3360	4025	1900	2365					
27240	5950	6535	3570	4250	1955	2515					
31780	6260	6875	3755	4470	2055	2645					

Ordinay Anchors

斯贝克锚 CB711-95 SPEK ANCHOR








名义重量 NOMINAL		尺	寸SIZE(i	nm)	
WEIGHT (KG)	A	В	С	D	F
100	672	373	112	515	250
150	770	428	128	590	290
180	846	470	140	640	300
240	900	500	150	690	358
300	990	550	166	760	398
360	1065	600	180	828	411
420	1080	600	180	828	431
500	1170	650	196	900	450
570	1170	650	196	900	475
660	1260	700	210	960	486
780	1355	750	225	1032	519
900	1440	800	240	1100	547
1020	1530	850	252	1170	573
1140	1620	900	268	1240	591
1290	1710	900	268	1240	620
1440	1710	950	279	1300	640
1590	1710	950	279	1300	671
1740	1800	1000	300	1378	689
1920	1850	1050	312	1454	704
2100	1890	1050	312	1454	717
2280	2010	1050	312	1454	736
2460	2010	1100	324	1514	764
2640	2070	1150	352	1584	794
2850	2070	1150	352	1584	804
3060	2160	1200	360	1650	820
3300	2155	1200	360	1650	834
3540	2350	1200	360	1650	834
3780	2430	1350	393	1850	880
4050	2430	1350	393	1850	917

名义重量 NOMINAL		尺	尺寸SIZE(mm)							
WEIGHT (KG)	A	В	С	D	F					
4320	2520	1400	413	1926	917					
4590	2520	1400	413	1926	951					
4890	2520	1400	413	1926	954					
5250	2610	1450	414	2000	964					
5610	2610	1450	414	2000	981					
6000	2700	1500	446	2060	1006					
6450	2700	1500	446	2060	1028					
6900	2790	1550	456	2138	1034					
7350	2790	1550	456	2138	1062					
7800	2920	1550	456	2138	1091					
8300	3060	1700	510	2332	1126					
8700	3060	1700	510	2332	1156					
9300	3060	1700	510	2332	1169					
9900	3160	1700	510	2332	1188					
10500	3190	1770	531	2440	1188					
11100	3290	1770	531	2440	1212					
11700	3390	1770	531	2440	1237					
12300	3440	1910	573	2632	1279					
12900	3440	1910	573	2632	1279					
13500	3440	1910	573	2632	1316					
14100	3440	1910	573	2632	1353					
14700	3690	2050	615	2824	1369					
15400	3690	2050	615	2824	1369					
16100	3690	2050	615	2824	1387					
16900	3820	2120	636	2922	1418					
17800	3950	2120	636	2922	1431					
18800	3950	2190	657	3018	146					
20000	4070	2190	657	3018	1493					
26000	4250	2360	716	3256	1618					






YPE M	SPEK A	A	B
	R		A
	N		

名义重量 NOMINAL		尺寸SIZE(mm)							
WEIGHT (KG)	A	В	С	D	Е	Н			
80	339	468	108	611	336	222			
105	371	512	120	669	336	242			
135	371	512	149	669	368	254			
240	445	613	182	800	440	304			
300	527	727	168	949	522	344			
360	527	727	190	949	522	358			
420	590	813	188	1062	584	385			
480	590	813	211	1062	584	395			
570	652	900	208	1175	647	428			
660	653	900	208	1175	647	428			
780	725	1000	231	1305	718	473			
900	725	1000	264	1215	718	485			
1020	793	1093	252	1428	785	518			
1140	793	1093	277	1428	785	530			
1290	858	1183	273	1544	850	56			
1440	858	1183	299	1544	850	573			
1590	920	1268	293	1655	911	60			
1740	920	1268	315	1655	911	61			
1920	980	1350	312	1761	970	640			
2100	980	1350	337	1761	970	650			
2280	1038	1430	331	1866	1027	678			
2460	1038	1430	355	1866	1027	688			
2640	1090	1500	347	1959	1079	712			
2850	1190	1500	380	1950	1079	723			
3060	1144	1578	365	2058	1133	748			
3300	1144	1578	387	2058	1133	76			
3540	1202	1656	383	2159	1189	78			
3780	1202	1656	405	2159	1189	79			
4050	1257	1732	400	2258	1244	82			

名义重量 NOMINAL			尺寸SI	ZE (mm)		
WEIGHT (KG)	A	В	С	D	Е	Н
4320	1257	1732	422	2258	1244	831
4590	1257	1732	444	2258	1244	841
4890	1338	1846	426	2405	1325	874
5250	1338	1846	450	2405	1325	888
5610	1432	1974	431	2405	1418	936
6000	1432	1974	457	2577	1418	936
6450	1432	1974	483	2577	1418	950
6900	1533	2112	462	2757	1518	1001
7350	1533	2112	488	2757	1518	1001
7800	1533	2112	514	2757	1518	1015
8300	1621	2234	489	2916	1605	1059
8700	1621	2234	517	2916	1605	1059
9300	1621	2234	545	2916	1605	1074
9900	1726	2380	520	3015	1709	1128
10500	1726	2380	550	3105	1709	1128
11100	1726	2380	580	3105	1709	1138
11700	1819	2507	554	3273	1801	1188
12300	1819	2507	580	3273	1801	1188
12900	1819	2507	607	3273	1801	1200
13500	1904	2624	577	3425	1885	1243
14100	1904	2624	607	3425	1885	1243
14700	1904	2624	650	3425	1885	1243
15400	1904	2624	657	3425	1885	1263
16100	2018	2782	612	3632	1998	1318
16900	2018	2782	638	3632	1998	1318
17800	2018	2782	683	3632	1998	1318
18800	2018	2782	699	3632	1998	1343
20000	2170	2990	652	3905	2148	1416

Ordinay Anchors

SR型 斯贝克锚 TYPE SR SPEK ANCHOR






名义重量 NOMINAL		尺寸SI	ZE (mm)	
WEIGHT (KG)	A	В	B1	G
210	900	500	340	690
240	900	550	390	760
300	1080	600	412	828
420	1080	600	412	828
450	1080	600	412	828
480	1170	650	442	900
570	1170	650	442	900
610	1260	700	472	962
660	1260	700	472	962
750	1350	750	508	1032
780	1350	750	519	1032
900	1440	800	547	1100
980	1440	800	547	1100
1020	1530	850	573	1170
1040	1620	900	591	1240
1100	1620	900	620	1240
1200	1710	950	640	1300
1300	1710	950	640	1300
1400	1710	950	671	1300
1500	1710	9500	671	1300
1650	1800	1000	669	1378
1800	1890	1050	704	1454
1920	1890	1050	717	1454
2100	1890	1050	736	1454
2190	1890	1050	736	1454
2280	1980	1100	764	1454
2460	2070	1150	794	1584
2640	2070	1150	804	1584
2850	2160	1200	812	1650
3300	2160	1200	834	1650

名义重量 NOMINAL		尺寸SI	ZE (mm)	
WEIGHT (KG)	A	В	B1	G
3540	2160	1200	834	1650
3780	2430	1350	880	1850
4050	2430	1350	914	1850
4320	2520	1400	917	1926
4590	2520	1400	931	1926
4890	2520	1400	954	1926
5250	2610	1450	964	2000
5610	2610	1450	981	2000
5800	2700	1500	1006	2060
6000	2700	1500	1006	2060
6450	2700	1500	1023	2060
6900	2790	1550	1034	2138
7350	2790	1550	1062	2138
7800	2790	1550	1091	2138
8000	2790	1550	1091	2138
8300	3060	1700	1125	2332
8700	3060	1700	1166	2332
9300	3060	1700	1188	2332
9900	3060	1700	1188	2332
10500	3186	1770	1197	2440
11100	3186	1770	1212	2440
11700	3186	1770	1237	2440
12300	3438	1910	1260	2632
12900	3438	1910	1260	2632
13500	3438	1910	1316	2632
14700	3690	2050	1369	2824
16900	3816	2120	1415	2922
18800	3942	2190	1461	3018
20000	3942	2190	1493	3018

名义重量 NOMINAL	尺寸SIZE(mm)							
WEIGHT (KG)	Н	h	h1	В	С			
50	960	230	42	635	185			
75	1105	266	45	710	210			
100	1215	293	49	780	230			
125	1310	316	52	840	245			
150	1395	336	55	900	265			
200	1535	370	61	990	290			
250	1650	398	65	1065	310			
300	1755	423	70	1105	330			
400	1930	465	77	1240	365			
500	2080	502	84	1335	390			

海军锚 CJ-08

名义重量 NOMINAL	尺寸SIZE(mm)								
WEIGHT (KG)	Н	h	h1	В	C				
600	2210	533	89	1440	415				
700	2330	560	93	1500	440				
800	2435	587	97	1570	460				
900	2530	610	101	1630	475				
1000	2620	633	104	1685	495				
1250	2825	680	112	1810	535				
1500	3000	725	118	1955	565				
2000	3300	797	131	2140	625				
2500	3550	857	138	2270	672				
3000	3780	912	150	2415	715				
3500	3980	960	158	2540	750				
4000	4160	1000	155	2650	785				
5000	4480	1100	184	2830	800				
6000	4740	1113	190	3000	438				
7000	5025	1180	200	3165	960				
8000	5240	1280	210	3300	980				
9000	5450	1330	220	3440	990				
10000	5680	1340	230	3600	1085				



名义重量 NOMINAL		尺寸SIZE(mm)							
WEIGHT (KG)	A	В	С	D	E				
75	1310	1100	360	455	465				
100	1445	1200	400	500	510				
150	1650	1380	455	575	585				
200	1820	1520	505	630	645				
300	2080	1740	575	725	735				
400	2290	1915	635	800	810				
500	2470	2065	680	855	875				
600	2620	2190	725	910	930				
800	2890	2415	800	1000	1020				
1000	3110	2600	860	1080	1100				
1250	3350	2800	925	1165	1185				
1500	3560	2980	985	1235	1260				
1750	3750	3135	1035	1300	1325				
2000	3920	3275	1085	1360	1385				



名义重量 NOMINAL		尺寸SIZE(mm)							
WEIGHT (KG)	A	В	С	D	Е				
3000	4485	3750	1240	1555	1585				
4000	4940	4125	1360	1710	1745				
5000	5320	4440	1472	1845	1880				
6000	5650	4720	1560	1960	1995				
7000	5950	4970	1645	2065	2100				
8000	6220	5200	1720	2155	2200				
9000	6468	5400	1790	2240	2288				
10000	6700	5600	1852	2320	2154				
12000	7115	5950	1968	2465	2516				
15000	7670	6410	2120	2657	2710				
18000	8148	6810	2253	2823	2882				
20000	8400	7020	2320	2910	2970				
22000	8710	7275	2410	3020	3074				
25000	9080	7590	2510	3146	3212				




滕州市成金机械制造有限公司 Tengzhou Chengjin Machinery Manufacture Co., Ltd =

A、B、C型 霍尔锚 CJ-10

A、B、C型 霍尔锚 TYPE A,B,C HALL ANCHOR


名义重量				尺寸SI	ZE (mm)			
NOMINAL WEIGHT (KG)		H	0.00	h	h1	L	L1	B1
10	A型	B型	C型	000		100	000	101
40	557	557	430	303	67	430	303	198
60	637	637	492	347	76	492	347	22
100	760	760	590	410	90	584	410	22
125	814	814	629	443	97	629	443	290
150	866	866	665	470	103	760	470	308
180	919	919	718	500	109	710	500	32
240	1019	1019	788	552	120	790	552	36
300	1095	1095	850	595	130	844	595	38
360	1160	1160	898	630	138	898	630	413
420	1160	1160	946	660	145	946	660	43
480	1222	1222	986	690	152	988	690	45
570	1355	1355	1042	732	161	1042	732	48
660	1356	1356	1093	769	169	1096	769	50
780	1506	1506	1170	813	178	1160	813	53
900	1580	1580	1215	855	188	1220	855	56
1020	1645	1645	1268	855	188	1220	855	56
1140	1705	1705	1316	926	203	1319	926	60
1290	1778	1778	1378	891	195	1268	891	58
1440	1844	1844	1448	965	203	1379	965	63
1590	1906	1906	1511	1035	226	1475	1035	67
1740	1966	1966	1571	1068	234	1517	1068	69
1920	2031	2031	1602	1104	241	1568	1104	72
2100	2093	2093	1651	1120	245	1560	1120	73:
2280	2150	2150	1716	1165	225	1657	1165	76
2460	2207	2207	1785	1194	262	1700	1194	78
2640	2259	2259	1843	1222	265	1730	1222	79
2850 3060	2318	2318	1890 1935	1253 1283	275 282	1787 1832	1253 1283	82:
3300	2432	2432	1935	1317	288	1880	1317	86
3540	2490	2490	2032	1349	295	1926	1394	88
3780	2547	2547	2077	1376	302	1965	1376	90
4050	2610	2610	2125	1406	309	2008	1406	92
4320	2695	2695	2171	1435	316	2051	1435	94
4590	2712	2712	2216	1465	332	2093	1465	96
4890	2769	2769	2263	1498	329	2135	1498	98
5000	2800	2800	2317	1510	332	2156	1510	99
5610	2899	2899	2369	1569	345	2234	1569	103
6000	2965	2965	2422	1605	352	2284	1605	105
6450	3037	3037	2482	1644	361	2340	1644	108
6900	3100	3100	2538	1681	369	2393	1681	110
7350	3100	3100	2592	1688	370	2400	1688	110
7800	3235	3235	2644	1752	385	2493	1752	115
8300	3363	3363	2699	1788	393	2545	1788	117






Type A Hall Anchor










Type C Hall Anchor

名义重量				尺寸SI	ZE (mm)			
NOMINAL WEIGHT (KG)		Н		h	h1	L	L1	B1
"LIGHT (NO)	A型	B型	C型	n	:111	L	LI	DI
8700	3355	3355	2742	1816	399	2585	1816	1195
9300	3430	3430	2804	1850	417	2632	1850	1226
9900	3502	3502	2863	1896	417	2699	1896	1248
10500	3571	3571	2920	1934	425	2752	1934	1273
11100	3638	3638	2975	1970	433	2803	1970	1297
11700	3702	3702	3028	2005	441	2853	2005	1320
12300	3764	3764	3079	2039	448	2901	2039	1342
12900	3824	3824	3128	2072	455	2947	2072	1363
13500	3882	3882	3176	2104	462	2992	2104	1384
14100	3939	3939	3222	2135	469	3036	2135	1404
14700	3994	3994	3267	2165	476	3078	2165	142
15400	4056	3318	2199	2199	483	3126	2199	1446
16100	4117	4117	3368	2232	490	3173	2232	1468
16900	4184	4184	3423	2268	498	3225	2268	1492
17800	4252	4252	3479	2308	506	3281	2308	1518
18800	4330	4330	3543	2350	516	3341	2350	1546
20000	4420	4420	3617	2399	526	3411	2399	1578
21500	4528	4528	3705	2458	539	3494	2458	1617
23000	4631	4631	3789	2514	551	3573	2514	165
24500	4730	4730	3870	2568	563	3649	2568	1689
26000	4825	4825	3947	2619	574	3722	2619	1723
27500	4916	4916	4021	2668	585	3792	2668	1756
29000	5004	5004	4093	2716	595	3860	2716	1787
31000	5126	5126	4188	2774	609	3949	2774	1823
33000	5234	5234	4276	2833	622	4032	2833	1860
35500	5363	5363	4381	2903	637	4132	2903	1906
38500	5510	5510	4502	2982	655	4245	2982	1958
42000	5672	5672	4634	3070	674	4370	3070	201
46000	5847	5847	4777	3165	695	4505	3165	2078

23

Ordinary Anchors

CJ-11 日本无杆锚 JAPAN STOCKLESS ANCHOR








名义重量 NOMINAL			尺寸SI	ZE (mm)		
WEIGHT (KG)	L	L1	L2	Н	HI	B1
180	650	459	910	111	480	280
240	720	510	1010	122	530	310
300	770	540	1080	131	570	331
360	820	580	1150	139	610	353
420	860	610	1200	146	640	370
480	900	640	1260	153	670	387
570	950	670	1330	162	700	408
660	1000	710	1440	170	740	430
780	1060	750	1480	180	780	456
900	1110	780	1550	189	820	477
1020	1160	820	1620	197	860	500
1140	1200	850	1680	204	890	520
1290	1250	880	1750	212	920	540
1440	1300	920	1820	221	960	560
1590	1340	950	1880	228	990	580
1740	1380	980	1930	235	1020	600
1920	1430	1010	2000	243	1060	620
2100	1470	1040	2060	250	1090	640
2280	1510	1070	2110	257	1120	650
2460	1550	1100	2170	264	1150	670
2640	1590	1120	2230	270	1180	690
2850	1630	1150	2280	277	1210	700
3060	1670	1180	2340	284	1240	720
3300	1710	1210	2390	291	1270	740
3540	1750	1240	2450	298	1290	750
3780	1790	1260	2510	304	1320	770
4050	1830	1290	2560	311	1350	790
4320	1870	1320	2620	318	1380	800
4590	1910	1350	2670	325	1410	820
4890	1950	1380	2730	332	1440	840
5250	2000	1410	2800	340	1480	860
5610	2040	1440	2860	347	1510	880
6000	2090	1480	2930	355	1540	900

名义重量 NOMINAL			尺寸SI	ZE (mm)	1	
WEIGHT (KG)	L	LI	1.2	Н	H1	B1
6450	2140	1510	3000	364	1580	920
6900	2190	1550	3070	372	1620	940
7350	2240	1600	3140	380	1660	960
7800	2280	1610	3190	388	1680	980
8300	2330	1650	3260	396	1720	1000
8700	2380	1670	3320	403	1750	1020
9300	2420	1710	3390	411	1790	1040
9900	2470	1740	3460	420	1820	1060
10500	2520	1800	3530	428	1880	1090
11100	2570	1800	3600	437	1880	1090
11700	2610	1855	3650	444	1945	1130
12300	2650	1855	3710	450	1945	1130
12900	2690	1885	3870	457	1975	1170
13500	2740	1885	3840	466	1975	1170
14100	2780	1960	3890	473	2050	1200
14700	2820	1990	3950	479	2080	1210
15400	2860	2020	4000	486	2110	1230
16100	2900	2050	4060	493	2140	1250
16900	2955	2080	4130	500	2180	1270
17800	3000	2120	4200	510	2210	1290
18800	3060	2160	4280	520	2260	1320
20000	3120	2200	4370	530	2300	1340
21500	3200	2260	4480	540	2360	1380
23000	3270	2310	4580	560	2410	1410
24500	3340	2360	4680	570	2460	1440
26000	3410	2410	4770	580	2520	1470
27500	3470	2450	4860	590	2560	1490
29000	3530	2490	4940	600	2660	1550
33000	3690	2610	5170	630	2720	1590
35500	3780	2670	5290	640	2790	1630
38500	3880	2740	5430	660	2860	1670
42000	4000	2820	5600	680	2950	1720
46000	4120	2910	5770	700	3040	1770

日本有杆锚 JAPAN STOCK ANCHOR



名义重量 NOMINAL	尺	尺寸SIZE(mm)							
WEIGHT (KG)	Н	L	В						
500	2000	2065	1350						
700	2260	2335	1510						
750	2310	2342	1560						
1000	2550	2637	1700						
1500	2890	2960	1950						
2000	3160	3272	2140						
3000	3630	3555	2650						
3500	3810	3820	2570						
4000	4000	4135	2920						
5000	4310	4470	3140						
6000	4580	4740	3330						
7000	4820	4980	3530						
8000	5040	5215	3620						







		/ 4 SIZE (mm)				NOMINAL		A 312E (mm)					
)	В	D	E	F	h	WEIGHT (LBS)	В	D	E	F	h		
Ī	727	319	562	348	510	5000	1884	816	1436	889	1323		
	800	351	619	364	570	6000	1974	867	1528	947	1403		
	863	379	666	412	614	7000	2082	913	1606	996	1480		
	914	402	708	438	652	8000	2171	955	1679	1040	1547		
	984	423	763	461	687	9000	2257	993	1747	1082	1609		
	1008	443	778	483	710	10000	2336	1028	1809	1120	1667		
	1071	477	839	520	773	11000	2413	1062	1868	1158	1721		
	1152	507	892	532	822	12000	2486	1093	1924	1193	1771		
	1184	521	926	567	844	13000	2540	1122	1965	1194	1819		
	1244	546	962	596	883	14500	2641	1144	2047	1270	1887		
	1320	580	1021	632	941	15000	2679	1177	2089	1295	1908		
Ī	1371	601	1058	655	975	16000	2735	1203	2116	1311	1950		
	1412	521	1092	676	1006	18000	2844	1251	2200	1365	2028		
Ī	1473	648	1139	706	1050	20000	2946	1296	2280	1412	2100		
	1564	704	1270	775	1090	22500	3060	1345	2370	1463	2134		
	1641	725	1275	790	1175	25000	3174	1396	2456	1521	2262		
	1724	758	1333	826	1228	30000	3371	1483	2628	1631	2404		

Odinary Anchors




名义重量 NOMINAL		尺寸	†SIZE(mm)	
WEIGHT (LBS)	A	В	С	D	Е
160	634	404	219	336	175
200	685	457	241	366	191
250	749	524	269	404	210
300	812	590	296	442	230
400	812	654	330	482	250
500	900	673	356	530	288
750	965	770	407	584	308
1000	1067	854	457	640	348
1250	1165	923	475	720	370
1500	1232	1005	515	748	392
2000	1370	1092	558	848	430
2100	1370	1092	558	848	436
2500	1473	1136	568	848	448
3000	1625	1194	648	912	483
3500	1625	1340	698	1003	500
4000	1734	1354	705	1054	518
4500	1794	1440	735	1066	563
5000	1930	1460	762	1130	588
6000	1930	1613	844	1194	642
6300	1930	1613	844	1194	642

名义重量 NOMINAL		尺	†SIZE(mm)	
WEIGHT (LBS)	A	В	С	D	Е
7000	2082	1691	882	1263	668
8000	2265	1691	894	1276	668
9000	2438	1784	924	1314	695
9500	2438	1851	957	1392	710
10000	2438	1918	990	1470	725
11000	2438	1950	1016	1473	778
12000	2438	1950	1016	1473	778
13000	2489	1949	1016	1473	799
14000	2616	2045	1118	1524	818
15000	2616	2184	1168	1600	875
16000	2738	2184	1168	1651	875
17200	2738	2184	1222	1660	875
18000	2850	2240	1232	1667	888
20000	2840	2440	1270	1866	990
25000	3048	2616	1365	1968	990
30000	3251	2794	1454	2096	1052
35000	3429	2946	1524	2210	1107
40000	3556	3073	1600	2311	1157
45000	3733	3200	1651	2388	1203
50000	3860	3327	1727	2515	1246

		CJ-C01	巴拿马导缆孔(AC)型 PANAMA CHOCKS (AC)	- 29
		CJ-C02	巴拿马导缆孔(BC)型 PANAMA CHOCKS (BC)	- 29
		CJ-C03	巴拿马导缆孔(U. S. 型) TYPE U.S. PANAMA CHOCKS	- 29
		CJ-C04	DIN81951 导缆孔(A型) DIN81951 CHOCKS (TYPE A)	- 30
	A	CJ-C05	DIN81915 导缆孔(C型)	- 30
		CJ-C06	IS013728 巴拿马导缆孔 (A型)	- 31
		CJ-C07	IS013728 巴拿马导缆孔(B)型 IS013728 PANAMA CHOCKS (B)	- 31
	(2)	CJ-C08	TOWING导缆孔 (EU型)	_ 32
	\oplus	CJ-C09	单点式导缆孔 A型 JIS F 2030-1978 SINGLE POINT MOORING PIPES TYPE A	_ 32
			单点式导缆孔 B型 JIS F 2030-1978 SINGLE POINT MOORING PIPES TYPE B	- 32
	R	CJ-B01	曲柱式系缆桩(A型) CURVED TYPE BOLLARD (TYPE A)	- 33
船用		CJ-B02	曲柱式系缆桩(B型) CURVED TYPE BOLLARD (TYPE B)	- 33
たまとロバナ	Л	CJ-B03	单柱系缆桩(JIS型) SINGLE-BITE BOLLARD(TYPE JIS)	- 34
铸钢件	Ī	CJ-B04	J 型 系缆桩 J TYPE DOCK BOLLARD	- 34
Marine Casting Steel	A	CJ-B05	TEE型 系缆桩TEE BOLLARDS	- 35
	A	CJ-B06	T-HEAD 系缆桩 T-HEAD BOLLARD	- 35
		CJ-B08	T-HEAD 系缆桩 T-HEAD BOLLARD	- 36
	Π	CJ-B08	单柱系缆桩(A型) SINGLE BITT(TYPE A)	- 36
	SUZ	CJ-B09	双柱系缆桩 DOUBLE BOLLARD	- 37
		CJ-B10	GB554-83 系缆桩 GB554-83 BOLLARD	- 37
		CJ-B11	IS013795系缆桩 (A型)	- 38
		CJ-B12	JIS F 2001-1990 系缆桩 JIS F 2001-1990 BOLLARD	_ 39
		CJ-S01	船用小型制链器 JIS F 2015 CAST STEEL BAR TYPE CHAIN CABLE STOPPERS	_ 39
	1		用于2/3级锚链的制爪型铸钢制链器 JIS F 2016-1987 CAST STEEL PAWL TYPE CHAIN STOPPERS FOR GRADE 2/3 CHAINS	- 40
	6	CJ-J01	J型 捞锚钩	- 41
	M	CJ-G01	捞链钩 GRAPNEL HOOK	- 41
	Ó	CJ-G02	捞锚圈 CHASER TYPE SOT	- 42
		CJ-G02	捞锚圈 CHASER TYPE SOT	- 42
				22








重量	型号	尺寸SIZE(mm)							
WEIGHT (KG)	MODELNO	A	В	С	D	Е			
253	310	310	708	639	541	652			
289	360	360	760	640	542	704			
323	400	400	804	642	545	750			
351	450	450	856	643	547	802			
395	500	500	908	644	549	854			


CJ-C02 巴拿马导缆孔(BC型) PANAMA CHOCK (TYPE BC)





重量	型号	尺寸SIZE(mm)							
WEIGHT (KG)	MODELNO	A	В	C	D	E			
276	310	310	734	684	462	652			
305	360	360	788	688	464	704			
344	400	400	832	692	470	750			
385	450	450	886	696	474	802			
422	500	500	940	700	478	854			

CJ-C03 巴拿马导缆孔(U.S.型) PANAMA CHOCK (TYPE U.S.)





公称尺寸	코 号		重量						
NOMINAL SIZE	MODELNO	A	В	C	D	F	G	Н	WEIGHT (KG)
6 "×12"	S-1097	558	165	330	61	178	20	76	71
7 "×14"	S-1098	610	187	374	68	196	22	89	93
8 "×16"	S-1105	626	257	414	80	242	25	101	152
9 "×18"	S-1106	762	235	470	83	260	28	114	180
10 "×20"	S-1101	812	257	514	90	260	30	127	225

DIN81951 导缆孔(A型) DIN81951 CHOCKS (TYPE A)






重量	型号		尺寸SIZE(mm)							
WEIGHT (KG)	MODELNO	A	В	C	D	E	(KN)			
42	A3-GS	390	140	250	200	450	30			
74	A3-GS	480	180	300	250	550	50			
120	A8-GS	585	225	360	320	680	80			
185	A12-GS	710	270	440	400	840	125			
285	A20-GS	840	320	520	500	1020	200			
795	A32-GS	1100	400	700	600	1300	320			

DIN81915导缆孔(C型) DIN81915 CHOCKS (TYPE C)




Chocks





重量	型号	尺寸SIZE(mm)							
WEIGHT (KG)	MODELNO	L	W	Н	H1	A	В	SWL	
29	C2	360	200	316	158	160	115	20	
48	C3	450	250	390	195	200	140	30	
85	C5	550	300	480	240	250	180	50	
136	C8	680	360	586	293	320	225	80	
211	C12	840	440	710	355	400	270	125	
356	C20	1020	520	840	420	500	320	200	
840	C32	1300	700	1100	550	600	400	320	


CJ-C06 ISO 13728 巴拿马导缆孔(A型) ISO 13728 PANAMA CHOCK (TYPE A)




公称尺寸		尺寸SI	ZE (mm)		SV	VL.	重量
$(L\times H\times D)$	11	12	H1	H2	(KN)	t	WEIGHT (KG)
250×200×214	488	453	427	368	226	23	73
$300 \times 250 \times 286$	614	565	551	481	422	40	142
$350 \times 250 \times 333$	716	660	601	525	549	56	222
$400 \times 250 \times 381$	820	754	652	553	687	70	310
450×250×381	870	804	652	553	706	72	322
500×250×381	920	854	652	553	765	78	337
$400 \times 250 \times 428$	870	796	701	609	883	90	434
450×250×428	920	846	701	609	912	93	452
500×250×428	970	896	701	609	932	95	472
$500 \times 400 \times 428$	970	896	851	759	893	91	528
500×250×525A	1068	1000	798	675	1148	117	657
500×400×525A	1068	1000	948	825	1158	118	724
$500 \times 250 \times 525B$	1074	1000	801	680	1413	144	753
500×400×525B	1074	1000	951	830	1383	141	825




IS013728 巴拿马导缆孔(B型) ISO13728 PANAMA CHOCK (TYPE BC)





TOWING 导缆孔(EU型) TOWING CHOCK (TYPE EU)






重量	켈 号	尺寸SIZE(mm)								
WEIGHT (KG)	MODELNO	A	В	C	D	E	Н			
230	315×250	315	250	815	620	365	380			
378	425×280	425	280	1075	785	450	500			
608	500×400	500	400	1340	900	506	560			
500	500×400(L)	500	400	1238	840	467	450			
598	600×315	600	315	1360	865	507	560			
820	600×450	600	450	1360	1000	575	560			
1200	600×450(L)	600	450	1560	1200	675	760			
1430	800×600	800	600	1700	1160	640	580			



单点式导缆孔(A型) JIS F2030 SINGLE POIT MOORING PIPES(TYPE A)




重量			尺寸SI	ZE (mm)		
WEIGHT (KG)	L	L1	H	H1	В	C
400	400	780	300	680	350	65
500	500	940	400	840	400	70
600	600	1100	450	950	450	75
700	700	1260	500	1060	500	80
800	800	1420	600	1220	550	85

单点式导缆孔(B型)

JIS F2030 SINGLE POIT MOORING PIPES(TYPE B)

	100	1
_		
	111	111
	1	
0		
0	-	^
0		






重量 型号 尺寸SIZE (mm) WEIGHT (KG) MODELNO B C 190 400 310 500 370

460 600 420 400 660 700 1280 470 450 500 1440 520 500 550 600 830 800

曲柱系缆桩(A型) CURVED BOLLARD (TYPE A) CJ-B01






	1	á	
	5	9	В
a B		6	. 9

型号	螺栓数量				尺寸SI	ZE (mm)	_	1	
MODELNO	Bolts Qty	D	Н	T	L	В	h1	h2	h3
5T	4	150	170	20	300	350	30	60	120
10T	4	200	210	20	400	480	40	70	160
15T	4	250	250	20	500	600	50	80	200
25T	4	300	290	21	600	720	65	95	240
35T	4	300	290	25	600	810	65	95	240
50T	4	350	330	29	700	945	70	100	280
75T	4	400	370	33	800	1130	90	120	320
100T	4	450	410	39	900	1365	95	125	360


曲柱系缆桩(B型) CURVED BOLLARD (TYPE B) CJ-B02





and so	THE TV AV. III.						尺	†SIZE(mm)					
型号 MODELNO	螺栓数量 Bolts Qtv				系缆杠	Ė Bol	lard				螺栓	Bolt	预埋板	Plant
MODELING	Bores de	D	A	В	B1	Н	H1	H2	Н3	T	d	L	W	t
5	4	150	300	360	-	380	30	60	170	20	20	450	80	16
10	4	200	400	480	-	480	40	70	210	20	27	600	108	22
15	4	250	500	600	1.00	580	50	80	250	20	33	700	132	25
25	4	300	600	700	-	690	65	95	290	21	42	850	168	35
35	6	30	600	720	810	690	65	95	290	25	42	850	168	35
50	6	350	700	840	945	780	70	100	330	29	48	1000	192	40
70	6	400	800	1000	1130	900	90	120	370	33	56	1150	225	45
100	6	450	900	1200	1365	990	95	125	410	39	64	1360	256	55
150	6	550	1100	1600	1765	1260	120	145	490	49	80	1450	300	65


单柱系缆桩(JIS型) SINGLE-BITE BOLLARD (JIS TYPE)





型号						尺寸SI	ZE (mm)						重量
MODELNO	D	X	t	B4	НЗ	t2	H1	H2	B3	B1	B2	d	(KG)
15T	250	290	20	400	87	25	45	100	430	600	500	43	130
25T	300	290	20	480	105	15	60	130	510	725	600	55	220
35T	300	290	25	480	105	16	60	130	510	725	600	55	230
50T	350	330	27	550	122	18	70	160	600	810	700	66	350
70T	400	380	30	610	140	23	80	190	680	900	800	74	530
100T	450	410	35	720	157	25	80	270	860	1180	1000	74	893
150T	530	510	40	880	192	29	100	340	1010	1440	1220	91	1450
200T	750	550	43	1030	227	30	110	410	1240	1700	1440	101	2230

J型 系缆桩 CJ-B04






型号	螺栓数量	SWL				尺寸SI	ZE (mm)			
MODELNO	Bolts Qty	(T)	A	В	C	D	E	F	G	Н
J-01	4	10	180	120	240	190	25	140	180	25
J-02	4	15	215	150	290	220	25	160	220	35
J-03	4	20	280	200	360	260	25	200	280	35
J-04	4	15	290	150	290	220	25	160	220	35
J-05	6	50	460	230	460	380	40	244	340	50


Bollard








型号						尺寸	SIZE	(mm)						Bolt	Bolt	Dec	0.
MODELNO	A	В	C	D	E	F	G	Ø1	J	K	L1°	L2°	L3°	size	Leng	P*	Qty
15T	40	235	340	410	335	80	155	160	205	130	30	1	60	M24	500	55	5
30T	40	255	350	450	375	100	175	200	225	150	30	1	60	M30	500	55	5
50T	50	350	500	640	540	150	250	260	320	220	30	1	60	M36	500	65	5
80T	70	380	550	640	550	160	250	280	320	230	15	45	N/A	M42	800	85	6
100T	80	410	600	790	640	175	325	350	395	245	10	40	80	M42	800	95	7
150T	90	435	700	900	750	200	350	400	450	300	10	40	80	M48	1000	105	7
200T	90	500	800	1000	850	225	375	450	500	350	0	36	72	M56	1000	105	8






型号						尺寸	†SIZE(mm)							Bolt	Bolt	0
MODELNO	A	В	С	D	E	F	G	Н	Ι	J	K	L	M	N	size	Lengt	Qty
MT10	47	199	305	381	330	44	-	=	243	103	-		292	189	M24	450	4
MT15	52	219	335	419	363	49	-	- 2	267	114	18	-	321	208	M24	450	4
MT20	54	240	351	438	380	51	-	232	329	0	152	-	336	217	M24	450	5
MT30	57	250	366	457	396	53	=	242	343	0	159		351	226	M30	450	5
MT50	70	308	451	564	489	66	-	298	423	0	196		432	279	M36	600	5
MT75	80	354	518	648	561	76	2 /	298	463	105	241	-	497	321	M42	600	6
MT100	80	413	610	762	660	89	305	496	572	0	195	291	584	377	M42	600	7
MT125	87	458	671	838	726	98	335	546	629	0	215	320	643	415	M48	750	7
MT150	93	492	719	899	779	105	360	586	674	0	231	343	689	445	M48	750	7
MT200	97	521	762	952	826	111	349	559	694	119	299	365	730	472	M56	915	8



型号					- 1	尺	†SIZE	(mm)							Bolt	Bolt	0.61
MODELNO	A	В	C	D	E	F	G	Н	1	J	K	L	M	N	size	Lengt	Qty
10T	41	291	348	381	330	44	1	1	243	103	1	1	291	140	M24	450	4
15T	45	320	394	419	363	49	1	1	267	114	1	1	320	154	M24	450	4
20T	49	349	430	442	381	46	1	234	335	0	159	1	349	160	M24	450	5
30T	55	392	483	497	429	51	1	263	377	0	179	1	393	180	M30	450	5
50T	59	419	516	530	457	55	1	281	402	0	191	1	419	192	M36	600	5
75T	71	489	627	645	556	67	1	287	459	120	250	1	509	233	M42	600	6
100T	81	559	717	737	635	76	292	484	559	0	195	291	582	267	M42	600	7
125T	90	615	788	810	699	84	321	532	615	0	215	320	640	293	M48	750	7
150T	98	671	860	884	762	91	351	581	671	0	235	349	698	320	M48	750	7
200T	102	699	896	921	794	95	333	543	679	119	299	365	727	333	M56	915	8

单柱系缆桩 (A型) CJ-B08




型号					-	尺寸	SIZE	mm)						100	Bolt	Bolt	Des
MODELNO	A	В	C	D	E	F	G	Н	1	J	K	L	M	N	size	Lengt	Qty
10T	44	390	224	325	284	46	1	1	205	83	1	/	234	122	M24	450	4
15T	44	429	246	358	313	50	1	1	225	91	1	1	257	134	M24	450	4
20T	54	454	263	358	322	54	/	201	281	0	124	1	275	143	M24	450	5
30T	60	540	307	419	377	63	1	236	328	0	146	1	321	168	M30	450	5
50T	70	686	391	533	480	80	1	256	394	96	200	/	409	213	M36	600	6
75T	82	829	475	648	583	97	-/	311	478	117	243	1	497	259	M42	600	6
100T	89	925	559	762	686	114	330	522	597	0	195	291	584	305	M48	750	7
125T	92	1057	604	823	741	123	357	564	645	0	211	314	631	329	M48	750	7
150T	98	1153	659	899	809	135	390	616	704	0	231	343	689	360	M56	915	7
200T	111	1270	726	991	892	149	396	614	755	124	311	380	759	396	M56	915	8

Bollard











型号				尺寸	†SIZE(mm)				Bolt	Bolt	0
MODELNO	A	В	C	D	E	F	G	H	I	size	Lengt	Qty
20T	38	673	204	335	267	533	70	222	191	M20	300	8
30T	46	781	236	389	302	604	81	258	221	M22	300	8
50T	56	942	285	469	356	711	98	311	267	M30	450	8
75T	62	1144	346	570	432	864	189	378	324	M36	450	10
100T	3	1346	407	670	508	1016	222	444	381	M42	600	10
125T	80	1548	468	771	584	1168	256	512	438	M42	600	10
150T	91	1683	509	838	635	1270	278	556	476	M48	750	10
200T	98	1885	570	938	702	1422	311	622	533	M56	915	10

Bollard

GB554-83 系缆桩 GB554-83 BOLLARD










型号	重量		尺寸SI	ZE (mm)	
MODELNO	WEIGHT (KG)	D	L	В	Н
100	19	114	445	165	196
125	29	140	540	195	246
160	45	168	670	225	316
200	80	219	860	290	378
250	141	273	1065	360	470
315	264	325	1300	430	597
355	358	351	1475	480	663
400	499	402	1630	550	749
450	680	450	1840	620	841
500	911	508	1040	690	928
560	1208	560	2240	750	1025
630	1601	610	2510	820	1152
710	2252	712	2840	960	1294
800	3071	813	3240	1100	1480

IS013795系缆桩(A型) IS013795 BOLLARD (TYPE A) 4.c.

型号		尺	寸SIZE(m	m)				v.		SWL	重量
MODELNO	D1	D2	D3	D4	HI	H2	В	L	E	(T)	WEIGHT (KG)
150	165. 2	185	-	80	330	90	155	400	_	5T	29
200	216. 3	240	-	130	395	115	205	500	-	6. 7T	46
250A	267. 4	290	-	160	505	135	250	630	-	14T	107
250B	267.4	290	-	160	505	135	250	630	-	11T	91
300A	318. 5	340	150	185	600	150	290	800	300	31T	281
300B	318.5	340	150	185	600	150	290	800	300	16T	166
350A	355. 6	380	170	200	685	175	340	890	350	43T	431
350B	355. 6	380	170	220	685	175	340	890	350	22T	241
400A	406. 4	430	190	230	730	185	380	1000	380	53T	570
400B	406. 4	430	190	250	730	185	380	1000	380	27T	322
450A	457. 2	480	210	265	770	195	425	1100	410	62T	712
450B	457. 2	480	210	285	770	195	425	1100	410	30T	379
500A	508	530	235	295	830	230	480	1250	460	77T	960
500B	508	530	235	320	830	230	480	1250	460	33T	465
550A	558.8	580	255	330	900	270	520	1380	540	83T	1123
550B	558.8	580	255	350	900	270	520	1380	540	55T	787
600	609.4	630	280	365	950	300	560	1550	600	97T	1391

JIS F 2001-1990系缆桩


JIS F 2001-1990 BOLLARD



2.2	Taylar T			and the same of the	VI.	
重量	型号			尺寸SIZE(mm)		
WEIGHT (KG)	MODELNO	A	В	С	D	Ф
100	18. 9	196	250	165	445	114.3
125	29.4	246	315	195	540	139.8
160	44. 7	316	400	225	670	165. 2
200	79.5	378	500	290	860	216.3
250	139	470	630	360	1065	267.4
315	261	597	800	430	1300	318. 5
355	361	663	890	480	1475	355. 6
400	502	749	1000	550	1630	406. 4
450	685	841	1130	620	1840	457.2
500	911	928	1250	690	2040	508
560	1208	1025	1380	750	2240	558. 8
630	1601	1152	1570	820	2510	609.6
710	2252	1294	1750	960	2840	711. 2
800	3071	1480	2000	1100	3240	812. 8

CJ-S01 船用小型止链器 JIS F 2015 CAST STEEL BAR TYPE CHAIN CABLE STOPPERS

型号 MODELNO	适用的锚链链径 MONINAL DIA. OF		尺寸SIZE(mm)					
MODELNO	ANCHOR CHAUN	A	В	С	D	(KG)		
19	17~19	190	270	200	134	17		
22	20~22	216	310	226	153	24		
25	23~25	241	345	256	175	33		
28	26~28	270	385	280	193	44		
32	29~32	305	435	320	220	68		
36	34~36	342	490	154	246	92		
40	38~40	378	540	390	336	111		
44	42~44	412	590	424	366	139		
48	46~48	450	640	460	397	176		
52	50~52	491	695	494	428	216		
56	54~56	528	745	530	457	261		
60	58~60	564	795	564	488	319		
64	62~64	600	850	600	517	380		
68	66~68	635	900	636	547	452		
73	70~73	675	960	678	582	561		
78	76~78	715	1020	720	617	682		




用于2级锚链的制爪型铸钢制链器

JIS F 2016-1987 CAST STEEL PAWL TYPE CHAIN STOPPERS FOR GRADE 2 CHAINS








型号	适用的锚链链径 MONINAL DIA, OF		尺寸SIZE(mm)					
MODELNO	ANCHOR CHAUN	A	В	С	D	WEIGHT (KG)		
60	58~60	780	670	506	600	306		
64	62~64	835	710	538	630	385		
68	66~68	885	750	568	660	464		
73	70~73	900	801	604	700	549		
78	76~78	1015	852	641	750	674		
84	81~84	1095	911	686	800	806		
90	87~90	1170	969	732	850	1002		
95	92~95	1235	1021	768	900	1165		
102	97~102	1350	1090	816	950	1443		
107	105~107	1400	1148	857	1000	1636		
114	111~114	1480	1207	902	1050	1933		
120	117~120	1585	1280	956	1120	2239		


用于3级锚链的制爪型铸钢制链器

JIS F 2016-1987 CAST STEEL PAWL TYPE CHAIN STOPPERS FOR GRADE 3 CHAINS



Stopper Chain






型号	适用的锚链链径 MONINAL DIA. OF		尺寸SIZE(mm)					
MODELNO	ANCHOR CHAUN	A	В	С	D	WEIGHT (KG)		
42	36~42	530	494	357	422	210		
46	42~46	620	538	404	480	396		
51	48~51	680	599	438	520	429		
56	52~56	730	638	472	560	465		
60	58~60	780	670	506	600	480		
64	62~64	835	710	538	630	500		
68	66~68	885	750	568	660	567		
73	70~73	950	801	604	700	682		
78	76~78	1015	852	641	750	818		
84	81~84	1095	911	686	800	1030		
90	87~90	1170	969	732	850	1220		
95	92~95	1235	1021	768	900	1420		
102	97~102	1350	1090	816	950	1830		
107	105~107	1400	1148	857	1000	2130		
114	111~114	1480	1207	902	1050	2410		
120	117~122	1585	1280	956	1120	2900		

39






型号		尺寸SIZE(mm)									
MODELNO	A	В	D	E	G	H					
10T	782	566	229	105	41	33					
20T	1040	759	307	140	55	45					
30T	1219	882	357	163	64	52					
40T	1267	917	371	170	66	60					
50T	1563	1131	458	209	82	67					
75T	1912	1384	560	256	100	82					
110T	2438	1829	699	306	124	86					
130T	2438	1829	699	320	124	86					
150T	2528	1832	740	338	132	108					
250T	2390	1730	720	350	180	145					



CJ-G01

捞链钩 GRAPNEL HOOK



型号	尺寸SIZE(mm)									
MODELNO	A	В	C	D	E	F				
10T	605	466	449	102	39	38				
20T	800	617	594	135	51	50				
30T	889	686	660	150	57	56				
40T	1000	768	726	171	64	70				
50T	1111	850	793	193	71	76				
75T	1389	1054	958	264	89	90				
110T	1778	1340	1190	320	114	110				
130T	1778	1350	1200	330	114	110				
150T	1786	1403	1240	337	117	118				
250T	1823	1670	1440	370	130	145				



捞锚圈 SOT型 CJ-G02

型号			尺寸SI	ZE (mm)				
MODELNO	A	В	C	D	Е	F	G	Н
100	1657	1143	991	762	305	191	124	86
130	1702	1168	991	762	381	203	130	99
130	1867	1245	1130	838	330	203	130	99
250	2040	1361	1130	838	406	1	191	144



型号	尺寸SIZE(mm)											
MODELNO	A	В	С	D	E	F	G	Н				
250KG	590	420	100	190	210	130	25	160				
500KG	780	590	150	210	250	160	30	160				
1000KG	1100	900	150	170	200	160	60	160				
1500KG	1250	940	150	210	250	210	70	210				
2000KG	1350	1010	150	250	290	210	70	210				
2500KG	1450	1035	150	280	320	210	70	210				
3000KG	1550	1160	150	280	320	210	70	210				
4000KG	1680	1300	150	330	370	210	75	260				
5000KG	1830	1370	150	360	400	210	75	260				
7000KG	1830	1370	150	500	540	210	75	260				

Chaser & Sinker





Anchor & Cast Steel








铸钢轮盘

齿轮






齿轮

行车配件



压力机平台








机械用铸钢件

铸钢件毛坯







铸钢件毛坯